

SD-11 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-16 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-17 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-18 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



DELUXE HI-FI MONITOR HEADPHONE



SD-19 deluxe Hi-Fi monitor headphone

50mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-20 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-21 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-22 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



HEADPHONE



SD-23A deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-24 deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-25A deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-25B deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-25C deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-26A deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-26B deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm





SD-26C
deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-27
deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm



SD-28
deluxe Hi-Fi monitor headphone

40mm driver unit
6 feet cable with 3.5mm stereo plug
frequency response: 20 - 20,000 Hz
impedance: 32 ohm

